

# Bussmann series BD Industrial HRC fuse links



## Product description

Eaton's Bussmann series range of British standard fuse links is specifically designed for the protection of general industrial applications e.g. power distribution, cable protection, motor protection.

## Standard features

- Good peak let-through current limitation
- 1:1:6 Selective coordination ratio between 'minor' and 'major' fuse
- gG characteristics for cable protection and general purpose applications
- Power loss values within the limits of IEC 60269

**Catalogue symbol:**

- BD(Amps)

**Technical data:**

- Rated voltage: 500 V a.c./250 V d.c.
- Rated current: 40 to 63 A
- Breaking capacity: 80 kA
- Class of operation: gG

**Standards/approvals:**

- BS88
- IEC 60269
- Suitable for use in RoHS compliant applications

**Fuse holder (sold separately):**

- RS200H (Red Spot)


**Packaging:**

- MOQ: 20

**Table 1. Technical data**


Catalogue number	Rated voltage	Rated current (Amps)	Energy integrals I <sup>2</sup> t (A <sup>2</sup> S)			Watts loss (W)	Product class	Weight (grams)
			Pre-arcing	Total at 415 V a.c.	Total at 550 V a.c.			
BD40	500 V a.c. / 250 V d.c.	40	1400	3600	5000	4.7	gG	60
BD50	500 V a.c. / 250 V d.c.	50	3000	8050	11,250	4.9	gG	60
BD63	500 V a.c. / 250 V d.c.	63	6700	18,850	25,100	5.6	gG	60

**Dimensions - mm**



Catalogue numbers	A	B	C	D	E	F	G	H	K
BD40-63	128.5	111	55	21	1.4	14.2	11.8	8.7	11.2

**Time current curve**



Changes to the products, to the information contained in this document, and to prices are reserved; so are errors and omissions. Only order confirmations and technical documentation by Eaton is binding. Photos and pictures also do not warrant a specific layout or functionality. Their use in whatever form is subject to prior approval by Eaton. The same applies to Trademarks (especially Eaton, Moeller, and Cutler-Hammer). The Terms and Conditions of Eaton apply, as referenced on Eaton Internet pages and Eaton order confirmations.

**Eaton**  
 EMEA Headquarters  
 Route de la Longeraie 7  
 1110 Morges, Switzerland  
 Eaton.eu

© 2015 Eaton  
 All Rights Reserved  
 Publication No. 4114  
 July 2015